



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 8054711
Procuring Entity PILI WATER DISTRICT
Title Supply and Delivery of Various IT Parts and Accessories
Area of Delivery Camarines Sur

Solicitation Number:	21-09-210	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	2
Procurement Mode:	Public Bidding	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Information Technology Parts & Accessories & Perip	Date Published	08/10/2021
Approved Budget for the Contract:	PHP 1,087,480.00	Last Updated / Time	05/10/2021 15:42 PM
Delivery Period:	30 Day/s	Closing Date / Time	15/10/2021 17:00 PM
Client Agency:			
Contact Person:	Rowena Agrito Mongoso BAC-Secretary Sta. Rita Agro-Industrial Estate San Jose Pili Camarines Sur Philippines 4418 63-054-4777136 63-054-4777136 piliwd@yahoo.com		

Description

INVITATION TO BID

The PILI WATER DISTRICT, through its BIDS AND AWARDS COMMITTEE invites suppliers/manufacturers to apply for eligibility and to bid for the following project:

Name of Project: Supply and Delivery of Various IT Parts and Accessories

Approved Budget of the Contract: Php 1,087,480.00

Cost of Bid Documents : Php 1,500.00

Contract Duration: 30CD

The Funding Source is the GOP through the Corporate Budget for 2021 approved by the board. Bids received in excess of the ABC shall be automatically rejected at bid opening. Prospective Bidders should have completed within Five (5) years from the date of submission and receipt of bids, a contract similar to the project and the contract amount should be at least fifty percent (50%) of the ABC to be bid.

Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184) as amended, otherwise known as the "Government Procurement Reform Act".

The schedule of activities is listed as follows:

SCHEDULE OF ACTIVITIES

Issuance and Availability of Bidding Documents October 8, 2021 – October 27, 2021
(8:00 AM-5:00 PM, Monday-Friday)

Pre-bid Conference October 14, 2021 (2:00 PM)

Zoom Meeting Details:

Meeting ID: 330 719 2745

Passcode: bac2021

Zoom Meeting URL:

<https://us02web.zoom.us/j/3307192745?pwd=ZDJNUGhHRFIYaWh2LzMrRHA0ZjJuUT09>

Opening of Bids October 27, 2021 (2:00 PM)

Zoom Meeting Details:

Meeting ID: 330 719 2745

Passcode: bac2021

Zoom Meeting URL:

<https://us02web.zoom.us/j/3307192745?pwd=ZDJNUGhHRFIYaWh2LzMrRHA0ZjJuUT09>

Bidding Documents may be acquired by interested Bidders from Pili Water District office upon payment of a non-refundable amount stated above and can be viewed and downloaded at www.piliwaterdistrict.gov.ph

Bidding is restricted to eligible bidders as described in ITB 5.1.

Bids must be delivered on or before the above stated scheduled dates at Pili Water District office. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.1.

The PILI WATER DISTRICT reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

For further information, please contact:

(Sgd.) ROWENA A. MONGOSO

BAC Secretary

09190664598

Section VI. SCHEDULE OF REQUIREMENTS

Stock/ Property No. Item Description Quantity Unit

TELLER

1 Monitor 3 Units

- Panel Size: 18.5" Inch

- LCD Panel Type: TFT-LCD

- Signal Input: VGA (Analog), HDMI

- Backlight Type: W-LED System

- Aspect Ratio: 16:9

- Optimum Resolution 1366 x 760 @ 60 Hz

2 Portable Monitor (Touch Screen) 1 Unit

- Display Size: 16" Inch

- Viewable Area: 15.6" Inch

- Panel Type: IPS Technology

- Resolution: 1920 x 1080

- Resolution Type: FHD

- Touch Screen: Projected Capacitive, 10-point Multi-touch

- USB 3.1 Type C: 2

- Mini HDMI: 1

- 3.5mm Audio Out: 1

3 Monitor (Touch Screen) 1 Unit

- Display Size: atleast 21.5" Inch

- Resolution: 1920 x 1080

- Panel Type: IPS Technology

- Input/Output: HDMI, VGA

- Low Blue Light, Flicker-free Technology

- Frameless

- Wide Viewing Angle

1 SET OF CPU for AGSD

4 Processor 1 pc

- CPU Cores: 4

- CPU Threads: 4

- Clock Speed: 3.6 - 4.0Ghz

- L3 Cache: 4MB

- CPU Socket: AM4

- With Built-in Graphics

- With CPU Cooler

5 Motherboard 1 pc

- Ryzen 3rd Gen ready

- Chipset: B450

- With Integrated graphics
- Form Factor: mATX
- With M.2 Support
- Output: VGA, DVI, HDMI
- DIMM Slots: 4
- Dual Channel Memory Architecture
- 6 RAM 1 pc
 - Form Factor: UDIMM
 - XMP Ready
 - Plug n Play
 - Speeds: 2666 - 3733 Mhz
 - Capacity: 8GB
- 7 Power Supply 1 pc
 - Efficiency: 80+ Bronze
 - ATX 12 V
 - Total Output: 550W
 - Dimensions: 15 x 15 x 8.6
 - AC Input Range: 100 - 240 VAC
- 8 M.2 NVME 1 pc
 - Capacity 500GB
 - Internal
 - Form Factor: M.2 (2280)
 - Interface: PCIe 3.0
- 9 Computer Case 1 pc
 - Material: Tempered Glass Steel Plate
 - Color: Black
 - Motherboard Compatible: ATX/mATX/ITX
 - I/O Panel: USB 1.1 + USB 3.0 + HD Audio
- 10 Keyboard And Mouse 1 pc
 - Keyboard Interface: USB
 - Type: Wired
 - Mouse Interface: USB
- 1 SET OF PC FOR PGSD
Desktop (Tower Only)
- 11 Processor 1 pc
 - CPU Cores: 4
 - CPU Threads: 4
 - Clock Speed: 3.6 - 4.0Ghz
 - L3 Cache: 4MB
 - CPU Socket: AM4
 - With Built-in Graphics
 - With CPU Cooler
- 12 Motherboard 1 pc
 - Ryzen 3rd Gen ready
 - Chipset: B450
 - With Integrated graphics
 - Form Factor: mATX
 - With M.2 Support
 - Output: VGA, DVI, HDMI
 - DIMM Slots: 4
 - Dual Channel Memory Architecture
- 13 RAM 2 pcs
 - Form Factor: UDIMM
 - XMP Ready
 - Plug n Play
 - Speeds: 2666 - 3733 Mhz
 - Capacity: 8GB
- 14 Power Supply 1 pc
 - Efficiency: 80+ Bronze
 - ATX 12 V
 - Total Output: 550W
 - Dimensions: 15 x 15 x 8.6
 - AC Input Range: 100 - 240 VAC
- 15 M.2 NVME 1 pc
 - Capacity 500GB
 - Internal
 - Form Factor: M.2 (2280)
 - Interface: PCIe 3.0
- 16 Computer Case 1 pc
 - Material: Tempered Glass Steel Plate
 - Color: Black
 - Motherboard Compatible: ATX/mATX/ITX
 - I/O Panel: USB 1.1 + USB 3.0 + HD Audio

1 SET OF CPU FOR PMIS

17 Processor 1 pc

- CPU Cores: 8
- Threads: 16
- Clock Speed: 3.6 - 4.4 Ghz
- L3 Cache: 32MB
- With CPU Cooler
- CPU Socket: AM4

18 Motherboard 1 pc

- Supports 3rd Gen Ryzen
- Chipset: B550
- Form Factor: ATX
- DIMM Slots: 4
- Max Ram Capacity: 128GB
- RAM Speed: 2666 - 4600Mhz
- SATA3: 6
- M.2 Socket: 2
- Graphics Output: HDMI, Display Port

19 RAM 2 pcs

- Model: HX432C16FB3/8
- Capacity: 8GB
- DDR4
- Speed: 3200Mhz
- 288-Pin

20 Graphics Card 1 pc

- Memory: 6GB
- Memory Interface: 192bit
- DRAM Type: GDDR5
- Clock Speed: 1530 - 1785 Mhz
- CUDA Cores: 1408
- Output: HDMI, DVI-D, DP1
- Graphics Card Power: 120W

21 Power Supply 1 pc

- 80+ Gold Certified
- Fully Modular
- 650 Watts
- Tight Voltage Regulation
- S2FC - Smart and Silent Fan Control

22 M.2 NVME 1 pc

- Form Factor: M.2 2280
- Interface: PCI-Express 4.0 x 4, NVME 1.3
- Capacity: 1TB
- External DDR Cache: DDR4 1GB
- Write Speed: Up to 4400 Mbs
- Read Speed: Up to 5600 Mbs

23 Computer Case 1 pc

- I/O Ports: USB 3.2, USB 2.0, Audio, Mic
- Expansion Slots: 7
- Power Supply: Standard ATX
- Form Factor: Mid-Tower
- Mobo Supports: ATX, mATX, Mini-ITX

1 SET OF CPU FOR PMIS

24 Processor 1 pc

- CPU Cores: 8
- Threads: 16
- Clock Speed: 3.6 - 4.4 Ghz
- L3 Cache: 32MB
- With CPU Cooler
- CPU Socket: AM4

25 Motherboard 1 pc

- Supports 3rd Gen Ryzen
- Chipset: B550
- Form Factor: ATX
- DIMM Slots: 4
- Max Ram Capacity: 128GB
- RAM Speed: 2666 - 4600Mhz
- SATA3: 6
- M.2 Socket: 2
- Graphics Output: HDMI, Display Port

26 RAM 2 pcs

- Model: HX432C16FB3/8
- Capacity: 8GB
- DDR4

- Speed: 3200Mhz
- 288-Pin
- 27 Graphics Card 1 pc
- Memory: 6GB
- Memory Interface: 192bit
- DRAM Type: GDDR5
- Clock Speed: 1530 - 1785 Mhz
- CUDA Cores: 1408
- Output: HDMI, DVI-D, DP1
- Graphics Card Power: 120W
- 28 Power Supply 1 pc
- 80+ Gold Certified
- Fully Modular
- 650 Watts
- Tight Voltage Regulation
- S2FC - Smart and Silent Fan Control
- 29 M.2 NVME 1 pc
- Form Factor: M.2 2280
- Interface: PCI-Express 4.0 x 4, NVME 1.3
- Capacity: 1TB
- External DDR Cache: DDR4 1GB
- Write Speed: Up to 5000 Mbs
- Read Speed: Up to 7000 Mbs
- 30 Computer Case 1 pc
- I/O Ports: USB 3.2, USB 2.0, Audio, Mic
- Expansion Slots: 7
- Lighting: ARGB
- Power Supply: Standard ATX
- Form Factor: Mid-Tower
- Mobo Supports: ATX, mATX, Mini-ITX

- Two(2) Identical CPU
- 31 Processor 2 pcs
- Core: 12
- Threads: 12
- Cloak Speed: 3.8 - 4.6 Ghz
- L3 Cache: 64 MB
- L2 Cache: 6MB
- CPU Socket: AM4
- 32 CPU Cooler 2 pcs
- Socket Compatible: AM4
- 6 heatpipe cpu cooler
- With Backplate
- Color: Black
- Max Rotational Speed: 1500 RPM
- 33 Motherboard 2 pcs
- Compatible with 3rd Gen Ryzen
- DIMM Slots: 4
- RAM Speed: Up to 4400
- Chipset: X570
- M.2 Connector: 2
- Form Factor: ATX
- USB 3.2: 5
- USB 2.0: 4
- RJ45: 2
- 34 Graphics Card 2 pcs
- Core Clock: 1290 Mhz - 1544 Mhz
- CUDA Cores: 384
- Size: 2GB
- Memory Bus: 64 Bit
- PCB Form: ATX
- OpenGL: 4.5
- 35 Memory Kit 64GB RAM (2 x 32GB) 2 pcs
- Memory Type : DDR4
- Speed: 3600Mhz
- Memory Pin 288
- 36 M.2 1TB NVMe SSD 3 pcs
- Form Factor: M.2 2280
- Interface: PCI-Express 4.0 x 4, NVME 1.3
- Capacity: 1TB
- V-NAND Flash Technology
- Write Speed: Up to 5000 Mbs
- Read Speed: Up to 7000 Mbs
- 37 Power Supply 2 pcs
- 80+ Gold Certified

- Fully Modular
- 650 Watts
- Tight Voltage Regulation
- S2FC - Smart and Silent Fan Control
- 38 Computer Case 2 pcs
- Form Factor: Mid-Tower
- Case Expansion Slots: 4
- I/O Ports: USB 2.0, USB 3.2
- Support MB Form Factor: ATX/M-ATX/Mini-ITX
- 39 UPS 2 Unit
- 230V
- Universal Sockets
- 1600VA
- Recharge Time: 8 Hours
- AVR

- 1 SET OF CPU for CSD
- 40 Processor 1 pc
- Core #: 4
- Thread #: 8
- Clock Speed: 3.7 Ghz - 4.2 Ghz
- Package: AM4
- With Thermal Cooler
- With Built in Graphics
- 41 Motherboard 1 pc
- Chipset: AMD B450
- DIMM Slots: 4
- Form Factor: mATX
- RAM Support: 2133 mhz - 4400 mhz
- Dual Channel Memory Architecture
- Supports Multi-VGA Output
- 42 RAM 1 pc
- Memory Type: DDR4
- Capacity: 16GB (8GB x 2)
- Memory Channel Kit: Dual Channel Kit
- Tested Speed: 3600Mhz
- Tested Latency: 18-22-22-42
- Tested Voltage: 1.35V
- 43 M.2 NVME 1 pc
- Capacity 500GB
- Internal
- Form Factor: M.2 (2280)
- PCIe® Gen 4.0 x 4, NVMe® 1.3c
- Read/Write Speeds: atleast 6,900/5,000 MB/s
- 44 Solid State Drive 1 pc
- Capacity: 500GB
- Interface: SATA
- Dimensions (L x W x H): 3.95" x 2.75" x 0.28"
- Read Performance: 560MB/s
- Write Performance: 530MB/s
- 45 Hard Disk 1 pc
- Capacity: 1TB
- Interface: SATA
- Form Factor: 3.5" Inch
- Cache Size: 64 MB
- Disk Speed (RPM): 7200 RPM
- 46 Computer Case 1 pc
- Material: Tempered Glass Steel Plate
- Chassis Structure: Micro ATX / ATX
- Mobo Compatible: ATX / M-ATX / ITX
- Color: Black
- I/O Panels: USB 1.1*2 - USB 3.0*1 - HD Audio
- 47 Graphics Card 1 pc
- PCI Express: 3.0
- Video Memory: 4GB GDDR6
- Engine Clock: 1410 Mhz - 1680 Mhz
- CUDA Core: 896
- Memory Speed: 12 Gbps
- Memory Interface: 128-Bit
- Interface: DVI-D, HDMI, Display Port
- 48 Monitor 2 pcs
- Screen Size: 23"
- Resolution(Max): 1920x1080
- Panel Type: IPS
- Output D-sub, DVI, HDMI

- Voltage Rating: 100 - 240V
- Slim Bezel Design
- Flicker-free Backlight

OTHER IT EQUIPMENT & SUPPLIES

MIS

49 Laptop 1 Unit

Processor

- Lithography: 14nm
- Cores: 6
- Threads: 12
- Frequency: 2.60 - 5.00 Ghz
- With Integrated graphics

Graphics Card

- GB4D-128
- 128 Bit
- GDDR6
- 4GB

RAM

- Capacity: 16GB
- DDR4

Storage

- Capacity: 1TB M.2 NVME

Color: Pine Grey

I/O Ports: HDMI, 3.5 mm Audio Jack, USB 3.2, Thunderbolt 3

Webcam: HD camera with IR Function

OGM

Laptop 1 Unit

Processor

- Cores: 4
- Threads: 8
- Frequency: Up to 4.20 Ghz
- With Integrated graphics

RAM

- 16GB
- LPDDR4X

Storage

- 512GB
- M.2 NVME

Display

- 13.3 Inch
- IPS-level
- Anti Glare Display
- LED Backlit

I/O Ports

- 1 x USB 3.2 Gen 1 Type A
- 2 x Thunderbolt
- 1 x HDMI 2.0
- Micro SD card reader

Weight

- 1.11 kg

EOD

50 Laptop 1 Unit

- Display: 13.3" Inch with Retina Display
- Processor: M1
- RAM: 16GB Unified SSD
- Storage: 256 SSD
- Magic Keyboard
- Touch Bar and Touch ID
- Force Touch trackpad
- Thunderbolt: 2
- Color: Space Grey

51 Laptop 1 Unit

Processor

- Frequency: 2.3 - 4.0 Ghz
- Cores: 6
- Threads: 6
- With Radeon Graphics

RAM

- Capacity: atleast 16GB
- DDR4-3200

Storage

- Capacity: 1TB
- M.2 NVME

- Display
 - atleast 13" to 15.6" inch
 - Resolution: 1920, 1080
 - IPS
 - Rugged design
 - Micro Edge
- 52 2 in 1 Laptop 1 Unit
- Processor
 - Cores: 4
 - Threads: 8
 - Frequency: 1.60 - 3.90 Ghz
- Graphics
 - atleast 2GB
 - GDDR5 VRAM
- RAM
 - atleast 8 to 16GB
 - 2133 Mhz
 - LPDDR3
- Display
 - atleast 13" to 14" inch LED
 - Resolution: 1920, 1080
 - 16:9 Anti-Glare Display
 - 2.9mm Thin Side Bezel
- Storage
 - Capacity atleast 500GB to 1TB
 - PCIE NVME SSD
- Interfaces
 - USB 3.1: 1
 - USB 2.0: 1
 - HDMI: 1
 - MicroSD Reader: 1
- 53 Network Attached Storage (NAS) 1 Unit
 - 2 Bay
 - Diskless System
 - 2 x 10/100/1000M
 - 2 x USB 3.0
 - Intel Celeron J4125 4-core
 - Usage Backup & Stream media through personal cloud
- 54 Network Attached Storage - Harddisk 2 pcs
 - Capacity: 4TB
 - 256MB Cache
 - Internal Hard Drive
 - up to 128MB of cache memory
 - Silver
- 55 RAM 3 pcs
 - Capacity: 16 GB (2 x 8GB)
 - 1600Mhz
 - DDR3
 - DIMM PC3-12800
 - Color: Red
- 56 RAM 2 pcs
 - Capacity: 16 GB (2 x 8GB)
 - DDR4
 - 3600Mhz
 - Color: Black
- 57 SATA SSD 4 pcs
 - Capacity: 500GB
 - Interface: SATA
 - Dimensions (L x W x H): 3.95" x 2.75" x 0.28"
 - Read: 560 MB/s
 - Write: 530 MB/s
- 58 M.2 NVME 2 pcs
 - Capacity 500GB
 - Internal
 - Form Factor: M.2 (2280)
 - PCIe® Gen 4.0 x 4, NVMe® 1.3c
 - Read/Write Speeds: atleast 6,900/5,000 MB/s
- 59 UPS 12 pcs
 - LCD Display
 - Microprocessor-based digital control
 - 1000VA / 600W
 - Wide input voltage range
 - Auto Sensing frequency
 - Auto restart when mains power is restored
 - Automatic charging in OFF mode

- Cold start
- Optional USB & RJ45 ports

Pre-bid Conference

Date	Time	Venue
14/10/2021	2:00:00 PM	Zoom Meeting Details: Meeting ID: 330 719 2745 Passcode: bac2021 Zoom Meeting URL: https://us02web.zoom.us/j/3307192745? pwd=ZDJNUGhHRFIYaWh2LzMrRHA0ZjJuUT09

Created by Rowena Agrito Mongoso

Date Created 05/10/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2021 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)